

## REMARKS

Claims 1 through 26 remain in this reissue application. Claims 2 through 26 of the original patent remain unchanged. Claim 1 has been amended.


### Compliance With Rule 37 C.F.R. § 1.173(c)

Applicants have amended claim 1 to cure a clerical error made during prosecution of the original application. Claim 1 has been amended to recite the limitation of "said second perforations being larger than said first perforations". In the application as originally filed, dependent claim 4 recited this limitation. In a response mailed June 22, 2001 to the office action mailed March 8, 2001, Applicants amended claim 1 to include the limitations of claim 4. However, due to a clerical error, this limitation was unintentionally omitted from claim 1. Although the notice of allowance mailed on August 16, 2001 indicated that claim 1 was allowed, the limitation of claim 4 was never included. The amendment to claim 1 is fully supported by at least Figs. 6 and 7 of the drawings of the original patent, claim 4 as originally filed and the original specification as filed at col. 8, ll. 4-8.

### Conclusion

In view of the foregoing amendments and remarks, it is submitted that this application is now in condition for examination. If the examiner has any questions, it is respectfully suggested that applicants' undersigned attorney may be contacted at the telephone number set forth below.

Respectfully submitted,



J. David Wharton, Reg. No. 25,717  
STINSON MORRISON HECKER LLP  
1201 Walnut Street, Suite 2800  
Kansas City, MO 64106-2150  
Telephone: (816) 842-8600  
Facsimile: (816) 691-3495